



HP LaserJet Enterprise 8501 Printer series

The ultimate workflow experience

Boost office productivity with fast print speeds and effortless management.



Rely on exceptional performance

- Stay productive and always ready for what's next with upgradeable HP FutureSmart features.²
- Save valuable time. High-quality prints are delivered quickly—with speeds up to 70 ppm.³

Secure what matters¹

- Your work is secure with HP Wolf Security⁴, silently detecting and repairing your printer from cyber attacks.
- Protect your network with the world's first quantum-resistant business printers.⁴
- Protect data stored on your device with the embedded HP Trusted Platform Module.⁵ Passwords, keys, and more.

Simplify print management

- Receive an easy-to-install printer at your office. No third-party technician needed.
- Easily maintain on your own—or get assistance from HP Services when you need it.
- Simplify management with long-lasting consumables and parts that minimize intervention.

Reduce your impact with sustainably designed tech

- Our energy efficient designs meet the rigorous criteria of Energy Star and Blue Angel.⁶
- With HP Planet Partners, we offer a convenient way to recycle HP supplies after their use.⁷
- With every page you print, HP invests in helping to protect, manage, and restore forests.⁸

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>

Product walkaround

- 1. 500-sheet output bin
- 2. Up to 70 ppm
- 3. Automatic, 2-sided printing
- 4. HP Wolf Enterprise Security
- 5. 4.3-in (10.92 cm) color touchscreen
- 6. Power button
- 7. Right door access to the print path
- 8. Hardware Integration Pocket
- 9. Easy access USB port
- 10. 2.180-sheet input



Series at a glance



| | | | |
|---------------------------------|-------------------------------------|------------------------------|-----------------------------------|
| Model | HP LaserJet Enterprise 8501dn | HP LaserJet Enterprise 8501x | HP LaserJet Enterprise 8501x+ |
| Product number | 9S187A | AJ7J3A | AQ1E4A |
| Print speed | Up to 70 ppm | | |
| Input capacity | Maximum: 1.140 sheets | Maximum: 2.180 sheets | |
| Recommended Monthly Page Volume | 60.000 | | |
| Control Panel | 4.3-in (10.92 cm) color touchscreen | | |
| Finisher | N/A | | Stapler/Stacker Finisher included |

Accessories, Supplies and Support

| | |
|---------------------|--|
| Supplies | 9U1Q5A HP LaserJet Toner Collection Unit (Average cartridge yields 300,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.) |
| | W1760A HP 176A Black Original LaserJet Toner Cartridge (Average cartridge yields 45,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.) |
| | W1766A HP 176A LaserJet Black Original Imaging Drum (Average cartridge yields 45,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.) |
| Accessories | 2NR12A HP Removable Hard Drive Enclosure |
| | 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory |
| | 478C2A HP Printing Voice Assistant |
| | 4QL32A HP Legic Secure USB Reader |
| | 8FP31A HP Jetdirect LAN Accessory |
| | 9R1U0A HP JetDirect 3200w Wifi 6 Bluetooth Wireless Accessory |
| | B5L31A HP Foreign Interface Harness |
| Service and Support | Y1G14A HP LaserJet Stapler/Stacker Finisher Staples |
| | Y7C05A HP HIP2 Keystroke Reader |
| | UF8K1E HP 3 year Next Business Day Onsite with DMR Service for LaserJet Enterprise 8501 |
| | UF8K2E HP 4 year Next Business Day Onsite with DMR Service for LaserJet Enterprise 8501 |
| | UF8K3E HP 5 year Next Business Day Onsite with DMR Service for LaserJet Enterprise 8501 |
| | UF8K4PE HP 1 year Post Warranty Next Business Day Onsite with DMR Service for LaserJet Enterprise 8501 |
| | UF8K5E HP 3 year Parts Exchange with DMR Service for LaserJet Enterprise 8501 |
| | UF8K6E HP 4 year Parts Exchange with DMR Service for LaserJet Enterprise 8501 |
| | UF8K7E HP 5 year Parts Exchange with DMR Service for LaserJet Enterprise 8501 |
| | UF8K8PE HP 1 year Post Warranty Parts Exchange with DMR Service for LaserJet Enterprise 8501 |
| Solutions | U9JT3E HP Installation Service with network configuration for Department Printer (1 unit) |
| | UF8L4E HP Maintenance Kit Replacement Service for LaserJet Enterprise 8501 Fuser Kit 110v |
| | UF8L5E HP Maintenance Kit Replacement Service for LaserJet Enterprise 8501 Fuser Kit 220v |
| | Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD) Management: Embedded Web Server |

Technical specifications

| | | | | |
|---------------------------------|---|--|---|--|
| Model | HP LaserJet Enterprise 8501dn | | HP LaserJet Enterprise 8501x | HP LaserJet Enterprise 8501x+ |
| Product number | 95187A | | AJ7J3A | AQ1E4A |
| Functions | Print | | | |
| Control panel | 4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker | | | |
| Print | | | | |
| Print technology | Laser | | | |
| Print speed ³ | Black (A4, normal): Up to 70 ppm Black (A4, duplex): Up to 70 ipm Black (A3, normal): Up to 35 ppm | | | |
| First page out ⁴ | Black (A4, ready): As fast as 5.6 sec Black (A4, sleep): As fast as 12.9 sec (15 min) | | | |
| Print resolution | Black (normal): Up to 600 × 600 dpi; Black (fine lines): Up to 1,200 × 1,200 dpi; | | | |
| Print technology | Technology: 1,200 × 1,200 dpi (Fine lines); 600 × 600 dpi (Normal); 300 × 300 dpi (Quick view) | | | |
| Monthly duty cycle | Up to 250,000 pages A4; Recommended monthly page volume: Up to 60,000 | | | |
| Printer smart software features | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB | | | |
| Standard print languages | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible | | | |
| Fonts and typefaces | 84 scalable TrueType fonts | | | |
| Print area | Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area: 311.5 × 448.7 mm | | | |
| Duplex printing | Automatic | | | |
| Processor speed | 1.6 GHz (Quad Core), 1.4 GHz (Dual Core) | | | |
| Connectivity | | | | |
| Standard | 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) | | | |
| Optional | HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A | | | |
| Wireless | Optional, enabled with purchase of a hardware accessory | | | |
| Mobile printing capability | Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; PrinterOn Print | | | |
| Supported network protocols | IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), AirPrint, SNMPv1/v2c/v3, HTTP, HTTPS, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, LLNMR, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; HP Web Services | | | |
| Hard disk | None | | | |
| Memory | Standard: 6 GB; Maximum: 6 GB | | | |
| Media handling | | | | |
| Number of paper trays | Standard: 3 ; Maximum: Up to 3 | | Standard: 5 ; Maximum: Up to 5 | |
| Media types | Plain, HP EcoEffICIENT, HP Matte 90 g, Light 60–74 g, Bond, Recycled, HP Matte 105 g, HP Matte 120 g, HP Soft Gloss 120 g, Mid-Weight 96–110 g, Heavy 111–130 g, HP Matte 150 g, Extra Heavy 131–175 g, HP Matte 200 g, Card-stock 176–220 g, Light Paperboard 221–255 g, Paperboard 256–300 g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored | | | |
| Media size | Custom (metric): Tray 1: 98 × 139.7 to 320 × 457.2 mm; Tray 2: 98 × 139.7 to 297 × 390 mm; Tray 3: 140 × 182 to 320 × 457.2 mm ; Supported (metric): Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k; Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k | | Custom (metric): Tray 1: 98 × 139.7 to 320 × 457.2 mm; Tray 2: 98 × 139.7 to 297 × 390 mm; Tray 3: 140 × 182 to 320 × 457.2 mm; Tray 4: 140 × 182 to 320 × 457.2 mm; Tray 5: 140 × 182 to 320 × 457.2 mm ; Supported (metric): Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k; Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k; Tray 4: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k; Tray 5: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k | |
| Media handling | Standard input: 100-sheet multi-purpose tray, 2 × 520-sheet input tray Standard output: 500 sheet | | Standard input: 100-sheet multi-purpose tray, 4 × 520-sheet input tray Standard output: 500 sheet | Standard input: 100-sheet multi-purpose tray, 4 × 520-sheet input tray Standard output: 3,250 sheet |
| Media weight | Tray 1, 2, 3: 60 to 325 g/m²; | | Tray 1, 2, 3: 60 to 325 g/m²; Tray 4, 5: 60 to 300 g/m²; | |

| Model | HP LaserJet Enterprise 8501dn | | HP LaserJet Enterprise 8501x | HP LaserJet Enterprise 8501x+ |
|--------------------------------------|--|--|--|--|
| Product number | 95187A | | AJ7J3A | AQ1E4A |
| Input capacity | Standard: 100-sheet multi-purpose tray, 2 x 520-sheet input tray Up to 1,140 sheets (Tray 1: up to 100 sheets; Tray 2: up to 520 sheets; Tray 3: up to 520 sheets) ; Maximum: Up to 1,180 sheets | | Standard: 100-sheet multi-purpose tray, 4 x 520-sheet input tray Up to 2,180 sheets (Tray 1: up to 100 sheets; Tray 2: up to 520 sheets; Tray 3: up to 520 sheets; Tray 4: up to 520 sheets; Tray 5: up to 520 sheets) ; Maximum: Up to 2,180 sheets | |
| Output capacity | Standard: Up to 500 sheets Envelopes: Up to 40 envelopes Transparencies: Up to 100 sheets Maximum: Up to 500 sheets | | | Standard: Up to 3,250 sheets Envelopes: Up to 40 envelopes Transparencies: Up to 100 sheets Maximum: Up to 3,250 sheets |
| Compatible operating systems | Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma; Windows 8.1 | | | |
| Compatible network operating systems | Windows Server; Linux; Citrix | | | |
| Minimum system requirements | Windows: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com | | | |
| Software included | No software solutions are included in the Box only on http://hp.com , https://support.hp.com/ | | | |
| Security management | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WPA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs | | | |
| Printer management | HP Web JetAdmin Software, HP Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) | | | |
| Dimensions and weight | | | | |
| Printer dimensions (W x D x H) | Minimum 585 x 695 x 714 mm; Maximum: 1083.5 x 1197.6 x 736.7 mm | | Minimum 585 x 695 x 970 mm; Maximum: 1083.5 x 1197.6 x 993.2 mm | Minimum 1293 x 695 x 1050 mm; Maximum: 1677.2 x 1197.6 x 1050 mm |
| Package dimensions (W x D x H) | 755 x 850 x 980 mm | | 890 x 972 x 1184 mm | |
| Printer weight ² | 65.47 kg | | 93.72 kg | |
| Package weight | 75.87 kg | | 133.22 kg | |
| Operating environment | Temperature: 15 to 30°C; Humidity: 20 to 80% RH | | | |
| Storage conditions | Temperature: -10 to 40°C | | | |
| Acoustics ¹ | Acoustic power emissions: 7.1 B(A) (printing mono simplex A4 at 70 ppm); Acoustic pressure emissions: 55 dB(A) (printing mono simplex A4 at 70 ppm) | | | Acoustic power emissions: 7.4 B(A) (printing mono simplex A4 at 70 ppm); Acoustic pressure emissions: 58 B(A) (printing mono simplex A4 at 70 ppm) |
| Power | Requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier) ; Consumption: 1,024.37 watts (printing), 40.08 watts (ready), 0.86 watts (sleep), 0.11 watts (auto-off), 0.11 watts (manual-off) ; Typical Electricity Consumption (TEC): 1.027 kWh/Week ; Power supply type: Internal (Built-in) power supply | | | |
| Energy savings feature technology | Power save | | | |
| Certifications | CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries Blue Angel; EPEAT® registered; ENERGY STAR® certified Blue Angel compliant Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies | | | |
| Sustainable impact specifications | FSC Certified Packaging; 10% post-consumer recycled plastic | | | |
| Replacement cartridges ⁵ | HP 176A Black LJ Toner Cartridge W1760A (ISO Yield 45,000) | | | |
| What's in the box | Installation guide; regulatory flyer; power cords; manual | | | |
| Page yield (set-up/inbox cartridges) | HP 176A Black LJ Starter Toner Cartridge (ISO Yield 25,000) W1760AS | | | |
| Warranty | One-year, onsite warranty. Warranty and support options vary by product, country and local legal requirements. | | | |

Footnotes

¹ The HP LaserJet Enterprise 8801/8601/8501 printer series is the top-tier model in our HP Enterprise portfolio, featuring the highest print and scan speeds, along with advanced printing solutions for easy print management.

² Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2024 published features of competitive in-class printers. Only HP offers multiple security features that automatically detect, stop, and recover from attacks with a self-healing reboot in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims. HP Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager. Post Quantum Cryptography (PQC): Based on HP's internal analysis of business Printers with preinstalled encryption, authentication, malware protection, and BIOS-level protection with automatic self-healing recovery finding that no other in-class Printers implement a quantum-resistant cryptographic scheme to protect the integrity of the BIOS as of 2025. PQC will be available in Fall'25 with Firmware 25.9.2.2+.

⁵ Use of the HP Trusted Platform Module may require a firmware upgrade.

⁶ HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. Based on US, Canada, India, and Australia EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.epeat.net for more information. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

⁷ Program availability varies. For more information, visit hp.com/hprecycle.

⁸ HP works collaboratively with our partners including WWF and Conservation International to manage, restore, and protect forests in many countries around the world. With HP, every print—regardless of paper brand—is addressed through HP's Forest Positive Framework to counteract risks of deforestation. To learn more visit hp.com/forestfirst.

Technical specifications disclaimers

¹ Acoustic values are subject to change. For current information see <http://www.hp.com/support>

² Including Starter toner cartridge weight

³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ Based on HP internal evaluation measuring the time from print initiation to page exit. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Additionally, for information of First Page Out measured using ISO/IEC 17629, see hp.com/go/printerclaims.

⁵ Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.



www.blauer-engel.de/uz219

