

Part No
Model Name
EAN Code
UPC Code
Marketing Name
Color
Dimension (W x D x H)
Weight
Processor
Chipset
Discrete/Optimus
Graphic
Graphic Wattage
Graphic Memory
IGPU
Panel Size
Resolution
Refresh Rate
Viewing Angle
Panel Tech
Brightness
Contrast
NTSC %
SRGB %
Adobe %
Anti glare
Adaptive-Sync technology
Pantone
Total System Memory
On board memory
Memory Slot
Memory Max.
System Storage Installed
M.2 slots support either SATA or NVMe
M.2 SSD Support List
Expansion Slot (includes used)
LAN

Wi-Fi/Bluetooth
I/O Ports
Display output
Webcam
Mic
Keyboard Type
NumberPad
Aura Sync
Speakers
Audio Tech
Operating System
Office
Security
Battery
Power
Bundled Peripherals
Reparability Index (for FR)



90NR0651-M04160  
FX516PR-HN033T

4711081458166  
195553458160

ASUS TUF Dash F15  
Eclipse Gray  
36.0 x 25.2 x 1.99 ~ 1.99 cm  
2.00 Kg  
Intel® Core™ i7-11370H Processor 3.3 GHz (12M Cache, up to 4.8 GHz, 4 cores)  
N/A  
Optimus  
NVIDIA® GeForce RTX™ 3070 Laptop GPU  
With ROG Boost up to 1390MHz at 80W (85W with Dynamic Boost)  
8GB GDDR6  
Intel® Iris X<sup>e</sup> Graphics (Intel® Iris X<sup>e</sup> Graphics in Dual Channel  
Intel® UHD Graphics in Single Channel)  
15.6-inch  
FHD (1920 x 1080) 16:9  
144Hz  
85/85/85/85  
Value IPS-level  
250nits  
1000:1  
45%  
62.5%  
47.34%  
anti-glare display  
Adaptive-Sync  
N/A  
16GB DDR4 on board  
16GB DDR4 on board  
1x SO-DIMM slot  
32GB  
512GB M.2 NVMe™ PCIe® 3.0 SSD  
2  
  
M.2 512GB PCIe SSD  
M.2 1TB PCIe SSD  
1x DDR4 SO-DIMM slot  
2x PCIe  
10/100/1000 Mbps

Wi-Fi 6(802.11ax)+Bluetooth 5.1 (Dual band) 2\*2

(\*BT version may change with OS upgrades.)

1x RJ45 LAN port

1x Thunderbolt™ 4 support DisplayPort™ / power delivery

3x USB 3.2 Gen 1 Type-A//1x 3.5mm Combo Audio Jack

1x HDMI 2.0b

N/A

Built-in array microphone

Backlit Chiclet Keyboard

N/A

N/A

2-speaker system

DTS software

Windows 10 Home - ASUS recommends Windows 10 Pro for business

1-month trial for new Microsoft 365 customers. Credit card required.

BIOS Administrator Password and User Password Protection

Kensington Nano Security Slot™

76WHrs, 4S1P, 4-cell Li-ion

ø6.0, 200W AC Adapter, Output: 20V DC, 10A, 200W, Input: 100-240V AC, 50/60Hz universal

N/A

7.0